

Anchorage School District

Educating All Students for Success in Life

Purchasing Department, 4919 Van Buren Street, Anchorage, AK 99517-3137

REQUEST FOR QUOTATION

THIS IS NOT AN ORDER

Show the following on the outside of the offer envelope OR email subject line: RFQ 2024-714 CONSTRUCTION – SERVICE HIGH SCHOOL GYM PROJECTOR ADDITION

DATE ISSUED: March 14, 2024 DUE: PRIOR TO 2:00 P.M., LOCAL TIME

DATE: March 26, 2024

The Anchorage School District (referred to as the "District") invites offers from qualified contractors to install a projector and projector screen in gymnasium at Service High School, in accordance with the following documents that are a part of this Solicitation:

Section	Title	Pages
Cover Page	Request for Quotation	Consisting of 2 pages
Section I	Instructions to Offerors	Consisting of 7 pages
Section II	Scope of Work and General Conditions	Consisting of 2 pages
Attachment A	Quote Form and Signature Page	Consisting of 1 page
Attachment B	Offeror's Checklist	Consisting of 1 page
Attachment C	Service High School Gym Projector Drawings	Consisting of 4 pages
Attachment D	Owner Furnished Equipment Product Information	Consisting of 16 pages
Exhibit 1	State of Alaska Sex Offender/Child Kidnapper Registry Certifications	Consisting of 3 pages

AVAILABILITY OF RFQ:

This Request for Quotation (.pdf) is available electronically at the District's Purchasing website: www.asdk12.org/purchasing/.

RFQ SUBMISSION REQUIREMENTS:

Respondents may submit their offers by mail to the address listed at the top of this cover page. Mailed offers must reference RFQ 2024-714 on the envelope. Email offers are acceptable and may be sent to <u>purchasing@asdk12.org</u>. Email offers must reference RFQ 2024-714 in the subject line. It is the responsibility of the offeror to insure that their quote is received by the Purchasing Department prior to the due date and time.

AWARD:

Award will be made to the lowest responsive, responsible offeror in accordance with Board Policy 3311.1(a).1.

PLAN HOLDER'S LIST:

A copy of the current plan holder's list can be viewed at: https://apps.asdk12.org/depts/purchasing/meeting/Plan_Holders/2024/714.xlsx

ON-SITE VISIT:

An on-site visit will be held at 3:00 p.m., Local Time, March 19, 2024 at Service High School, 5577 Abbott Road Anchorage, Alaska 99507. Please meet at the front entrance. If you are interested please contact the District's Project Representative, Kandace Banks 907-350-0205.

The District is committed to providing reasonable accommodations, according to applicable state and federal laws, to all individuals with a qualifying disability. If you require a reasonable accommodation in order to participate in this or any other District process, please contact the District's Compliance/Equal Employment Opportunity Department, 907-742-4132.

PRE-QUOTE CONFERENCE:

A pre-quote conference will be held at 2:00 p.m., Local Time, March 20, 2024 at the Purchasing Department's Conference Room located at 4919 Van Buren Street, Anchorage, Alaska. Prospective offerors who wish to participate by teleconference may participate by calling 907-742-6750. The line will be available approximately five (5) minutes prior to the conference start time.

SECTION I INSTRUCTIONS TO OFFERORS

A. GENERAL REQUIREMENTS

This solicitation is a REQUEST FOR QUOTATION (referred to as "RFQ") governed by applicable Anchorage School Board Policies, including Section 3311 of said Policies. School Board Policies are available at <u>www.boarddocs.com/ak/asdk12/Board.nsf</u>. Offerors should read this RFQ and review all instructions contained herein. Incomplete or incorrect offers may be rejected as not conforming to the essential requirements of this RFQ. Offers submitted on other than the prescribed forms contained in this RFQ may be rejected. Offerors may copy the forms contained in the RFQ for use in their offers; however, substitute forms or formats are unacceptable.

B. EXAMINATION OF CONTRACT DOCUMENTS

Offerors should read this RFQ and review all instructions contained herein. The submission of an offer shall constitute acknowledgement that the offeror has thoroughly examined and is familiar with the solicitation documents.

C. CONTRACT INTERPRETATION AND EXECUTION

- 1. In interpreting this contract the documents that comprise it shall be given the following order of precedence:
 - A. District Terms and Conditions;B. Contractor's written offer, as accepted by the District;C. District PO;
- 2. This contract is not valid until the District's Purchase Order (PO) is issued. The PO is the Contractors Notice to Proceed (NTP) and the execution of the Contract. The PO number is the Contract number.
- 3. This contract was procured using the District's informal solicitation process, per Board Policy 3311.1(a).4. The Contractor agrees to certify that under no event shall this contract be increased to \$100,000 or over.

D. DEBARMENT AND SUSPENSION

Offerors must fully comply with the requirements regarding debarment and suspension in Subpart C of 2 CFR Part 180, as adopted by the Department of Education at 2 CFR §3485.12. Offerors are responsible for ensuring lower tier covered transactions include a term or condition requiring compliance with Subpart C of 2 CFR Part 180 and 2 CFR Part 3485, entitled Responsibilities of Participants Regarding Transactions. Contractors, subcontractors, or suppliers that appear on the Excluded Parties List System are not eligible for award of contracts that are a covered transaction under Subpart B of 2 CFR Part 180 and 2 CFR Part 3485. Offerors may access the Excluded Parties List System at www.sam.gov.

E. CONFLICT OF INTEREST

- 1. The Contractor agrees to certify that Anchorage School District employees, School Board members, or a member of their household are not in conflict of interest with the contract and Board Policy as stated in Board Policy 3311, Administrative Regulation 3311.1(e).1.
- 2. Copies of all conflict of interest and ethics code documents should be submitted with your offer.

F. FIRM OFFER

Offers made in response to this RFQ must be good and firm for a period of 90 calendar days from the date specified for submittal of offers.

G. WITHDRAWAL OF OFFERS

Offers may be withdrawn on written request delivered to the District Purchasing Director (email is acceptable) only prior to the time specified for submittal.

H. CONTRACT FUNDING; NON-APPROPRIATION

The contract is contingent upon funding. No financial obligation beyond a current District fiscal year shall exist under the contract unless and until an appropriation of funds to be expended on the contract for the following fiscal year is made by the Anchorage School Board. In the event that the School Board does not appropriate funds, or appropriates insufficient funds for the following fiscal year, the District shall notify the Contractor and the contract shall terminate on the last day of the preceding fiscal year, or on the date when appropriated funds for the contract are exhausted. Under no event shall the District be financially obligated to the Contractor in any way beyond amounts appropriated by the School Board

I. FEDERAL EXCISE TAXES

The District is exempt from Federal Excise Taxes. An Exemption Certificate will be furnished when required.

J. PRICING AND PAYMENT

- 1. Payment will be made within 30 days after acceptance by the District. The District reserves the right to exercise a 10 day inspection period upon receipt, prior to acceptance.
- 2. All prices shall be stated in U.S. dollars.

K. QUESTIONS; METHOD FOR CLARIFICATION

Any offeror in doubt as to the true meaning of any part of this RFQ may submit to the District a written request for an interpretation thereof. Questions must be received by the District's Purchasing Department no later than three (3) calendar days prior to the date set for the submission of offers. Oral questions cannot be answered and are not binding for this RFQ. Questions can be submitted as follows:

 Reference:
 RFQ 2024-714 CONSTRUCTION – SERVICE HIGH SCHOOL GYM PROJECTOR ADDITION

 Email:
 purchasing@asdk12.org

 [OR fax: Anchorage School District Purchasing Department @ 907-243-6293]
 Attn:

 Lisa Young, Purchasing Agent

L. SUBMISSION OF OFFERS

- 1. There will not be a formal opening of this RFQ. The offers will be opened and evaluated after the submission due time and date. Once the evaluation process is completed, the District's Purchasing Department will release to interested parties and post a Notice of Intent to Award to show the results of the award.
- 2. Complete offers MUST be in the office of the Purchasing Department, Anchorage School District, 4919 Van Buren Street, Anchorage, Alaska prior to the time and date stated on the Cover Page of this RFQ. It is the responsibility of the offeror to ensure that their complete offer and acknowledgement of subsequent addenda, if any, are in accordance with the scheduled submission time.
- 3. Offerors should be aware that addenda may be issued for this RFQ. It is the offeror's responsibility to ascertain if addenda have been issued by checking the District's Purchasing website: www.asdk12.org/depts/purchasing/.
- 4. No oral change or interpretation of the provisions contained in this RFQ is valid. Written addenda may be issued when changes, clarifications, or amendments to offer documents are deemed necessary by the District.
- 5. The Quote Form and Signature Page (Attachment A) must be completed and signed by an authorized representative of the firm submitting the offer. Additional information requested in this RFQ shall be submitted as indicated on the Offeror's Checklist (Attachment B).

M. RIGHT OF REJECTION AND CLARIFICATION

SECTION I: INSTRUCTIONS TO OFFERORS PROJECT NO. 840033 The District reserves the right to reject any and all offers, to request clarification of information from any offeror, and to waive irregularities in the offer procedures. The District is not obligated to enter into a contract on the basis of any offer submitted in response to this RFQ. The District reserves the right, at its sole discretion, to cancel this RFQ or any part thereof, at any time, prior to the award of contract under this RFQ.

N. REQUEST FOR ADDITIONAL INFORMATION

Prior to the final selection, offerors may be required to submit additional information, which the District may deem necessary to further evaluate the offeror's submission. Responses are due within three (3) calendar days of request by the District.

O. DISTRICT NOT RESPONSIBLE FOR PREPARATION COSTS

The District will not pay any cost associated with the preparation, submittal, presentation, or evaluation of any offer. The District shall not be liable for any cost incurred by an offeror in responding to this solicitation or incurred for any work done, even in good faith, prior to execution of a contract and issuance of a notice to proceed, including but not limited to: offer preparation costs and other costs, including attorney fees associated with any challenge (administrative, judicial or otherwise) to the determination of the lowest responsive, responsible offeror and/or award of contract and/or rejection of offers. By submitting an offer, each offeror agrees to be bound in this respect and waives all claims to such costs and fees.

P. PROTEST AND APPEAL PROCESS FOR AGGRIEVED OFFERORS

- 1. An interested party may protest a solicitation or a proposed award of a contract in accordance with Board Policy 3311.1(c).1. All protests must conform to the submission requirements established therein.
- 2. A protest as to the specifications and/or terms and conditions of a solicitation must be received by the Purchasing Director as least five (5) calendar days prior to the due date of the offer; failure to protest as provided herein constitutes a waiver of any objection to the solicitation.
- 3. For construction projects between \$25,000 and \$100,000 a protest of any proposed award must be received by the Purchasing Director within three (3) business days after issuance of the notice of intent to award.
- 4. Any appeal of a denied protest shall be performed in accordance with Board Policy 3311, Administrative Regulation 3311.1(c).1.
- 5. This procedure is not applicable to purchases under \$25,000.

Q. PROTECTION OF PROPERTY

The Contractor assumes full responsibility for and shall indemnify the District for any loss or damage to any District property, resulting in whole or in part from the negligent acts or omissions of the Contractor, or any employee, agent or representative of the Contractor.

R. PUBLIC RECORDS CLAUSE

This RFQ and the resulting offers received, together with copies of all documents pertaining to the award of a contract, will be kept by the Purchasing Department and made part of the record which will be open to public inspection. If an offer contains any information which is proprietary or confidential, each page of the offer containing such information must be clearly marked. Cost or price information will be open to public inspection.

S. INDEPENDENT CONTRACTOR

1. The Contractor shall provide services as an independent Contractor to the District. Except as this contract provides otherwise, the District shall not supervise or direct the Contractor.

- 2. In performance of the contract, Contractor shall use commercially reasonable efforts, and shall devote commercially reasonable amounts of its time, personnel and resources, to achieve the objectives set forth in the statement of work.
- 3. Each party shall appoint a contact to represent that party during the term of the statement of work. A party's contact person may be changed at any time upon notice to the other party.

T. COMPLIANCE WITH LAWS

The Contractor shall comply with all statutes, ordinances and regulations governing its performance, and obtain all permits, licenses and other entitlements necessary to its performance. The Contractor shall pay all taxes related to its performance.

U. NONDISCRIMINATION

- 1. No offeror on any District contract shall illegally discriminate on the basis of race; color; gender; sex (including pregnancy); national origin; age; marital status; political or religious beliefs; physical or mental disabilities; genetic information; family, social, or cultural background; sexual orientation; veteran status; or any other classification set forth in federal, state, or municipality of Anchorage law relating to equal employment opportunity.
 - 1. The submission of a offer or proposal constitutes certification that if awarded a contract with the District, the offeror or offeror shall fully comply with the requirements of paragraph 1. above. This section of the Instructions to Offerors shall be deemed a part of the contract entered into by the successful offeror.
- 3. The successful offeror shall post in conspicuous places at its business operations a copy of this section, or notice setting forth the contents of this section, so that employees and job applicants are made aware of the protections against discrimination that this section provides.
- 4. Minority Business Enterprises:

The District requires adherence to the Anchorage Municipal Code, relating to Minority Business Enterprises and will monitor and implement these policies through the District's Equal Employment Opportunity Director (EEO).

- a. It is the policy of the District that socially and economically disadvantaged minority businesses located within the Municipality of Anchorage be afforded an equitable opportunity to participate in District contracts.
- b. Any appeal from a decision of the Equal Employment Opportunity Director shall be to the Superintendent and, if not satisfied, to the Board.

V. ALASKA BUSINESS LICENSE

The selected offeror must provide the District with the offeror's Alaska business license and Alaska General or Specialty Contracting License Number number prior to award. Offerors should contact the State of Alaska; Department of Commerce, Community and Economic Development; Division of Corporations, Business & Professional Licensing, for information regarding business licensing. Contact information, information regarding business licensing, and business licenses, is available at www.commerce.alaska.gov/web/cbpl/BusinessLicensing.aspx.

W. ASSIGNMENT

Unless the District provides otherwise in writing, any assignment by the Contractor of its interest in any part of this contract or any delegation of its duties shall be void, and permit the District to terminate this contract without liability for work performed.

X. WARRANTY

The successful offeror shall warranty all material and labor against defects in materials and workmanship for the duration of the manufacturer's published warranty on all items purchased under the contract; however, regardless of the manufacturer's warranty, the successful offeror shall be responsible for a minimum of a one (1) year warranty against defects and workmanship.

Y. OCCUPATIONAL SAFETY AND HEALTH WARRANTY

Offeror, if awarded a contract, warrants that the products sold or services rendered to the District shall conform to the standards and/or regulations promulgated by the U.S. Department of Labor under the Occupational Safety and Health Act of 1970 (29 U.S.C. 651, pl 91-596). In the event the product sold does not conform to the OSHA standards and/or regulations, the buyer may return the product for correction or replacement at seller's option and at the seller's expense. Services performed by the seller which do not conform to the OSHA standards and/or regulations must be corrected by seller at seller's expense or by buyer at seller's expense in the event seller fails to make the appropriate correction within a reasonable time.

Z. INDEMNIFICATION

The Contractor shall indemnify, defend, and hold harmless the District from and against any and all claims of, or liability for, error, omission or negligent act of the Contractor under the contract or in any way arising from the Contractor's performance of the work under the contract, breach of warranties set forth in the contract, or from any defect in equipment furnished by the Contractor. The Contractor shall not be required to indemnify the District for a claim of, or liability for, the independent negligence of the District. If there is a claim of, or liability for, the joint negligent error or omission of the Contractor and the independent negligence of the District, the indemnification and hold harmless obligation shall be apportioned on a comparative fault basis. "Contractor" and "District", as used within this Section, including the board members, officers, employees, agents and other Contractors who are directly responsible, respectively, to each. The term "independent negligence" is negligence other than in the District's selection, administration, monitoring, or controlling of the Contractor and in approving or accepting the Contractor's work.

AA. LIABILITY

Except for damages to persons and/or damage to real or tangible personal property caused by the negligent act or omission of the Contractor, Contractor's total liability to the District shall be limited to and not exceed the collective amounts paid by the District to the Contractor pursuant to this contract. In no event shall Contractor or its agents, personnel or representatives be liable to the District for any special, indirect, incidental or consequential damages including lost profits, loss of use or loss of data. Under no circumstances shall any board member, officer, employee, or agent of the District, acting within the course and scope of his/her District employment or responsibility be personally liable to the Contractor, or any party claiming through or on behalf of the Contractor, with regard to resulting contract, including but not limited to its negotiation, execution, performance, or termination.

BB. HOLD HARMLESS

Offerors shall defend and hold the District, its officers, employees, agents and insurers harmless from any and all claims arising from the use or consumption of product provided by offeror unless offeror can establish that such claims arise from the District's improper handling, storage, or use of the product.

CC. TERMINATION

- 1. This contract may be terminated:
 - a. By either party upon a material breach by the other party of its obligations hereunder upon ten (10) days written notice to the Contractor.
 - b. By the District for its convenience upon ten (10) days written notice to the Contractor.
- 2. Upon termination and the Contractor's furnishing to the District all finished and unfinished data, documents or other materials prepared under the contract, the District shall pay the Contractor for all satisfactory work performed prior to termination.

DD. NONWAIVER

Either party failing to enforce a provision of this contract does not waive the provision or affect the validity of the contract or a party's right to enforce any provisions of the contract.

EE. JURISDICTION AND CHOICE OF LAW

Any civil action arising from this contract shall be brought in the trial courts for the Third Judicial District of the State of Alaska at Anchorage. The law of the State of Alaska governs this contract.

FF. INTEGRATION

This document and all documents incorporated in it by reference are the entire agreement of the parties, and supersedes all previous communications, representations or agreements regarding this subject, whether oral or written, between the parties.

GG.SEX OFFENDER/CHILD KIDNAPPER

- 1. Anchorage School Board Policy 3515.5 prohibits a Contractor or Subcontractor whose employees or agents may have direct or incidental contact with District students from sending any employee or agent to district property: (a) who has been convicted of a sex offense under federal law or the law of any state and who is required to register as a sex offender under Alaska law or by court order; or, (b) who has been convicted of child kidnapping under federal law or the law of any state and who is required under Alaska law or court order to register on the Alaska Department of Public Safety Sex Offender/Child Kidnapper central registry. "District property" includes all land within the perimeter of a school site; all District buildings and structures; District computer networks and systems; District vehicles, whether owned or leased by the District; school buses, whether owned or leased by the District or a Contractor; and the site of any District or school-sponsored activity.
- 2. A. Prior to executing a contract, the selected Contractor shall certify in writing the Contractor's knowledge of and compliance with Board Policy 3515.5. In addition, the Contractor shall certify that, to its knowledge, no employee or agent is a convicted sex offender or child kidnapper. The required Contractor certification is included in the quote documents. If applicable Sub and Sub-sub Certifications need to be turned in within 3 days of the execution of the Contract. See Exhibit 1.

HH. WAGE RATES (THIS PART WILL ONLY APPLY IF LUMP SUM EXCEEDS \$25,000)

- 1. General
 - a. State of Alaska Prevailing Wage Scale and Alaska Hire

Attention of offerors is particularly called to the requirements as to conditions of employment to be observed and minimum wage rates to be paid under the Contract. Among other things, the requirements of Alaska's Little Davis Bacon Act (AS 36.05.010) are applicable to this project. Each offeror must inform himself/herself fully of the conditions relating to the construction of the project and the employment of labor thereon. Failure to do so will not relieve a successful offeror of his/her obligation to furnish all material and labor necessary to carry out the provisions of the Contract.

State Labor Wage and Hour Administration Pamphlets No. 600 for Laborers' and Mechanics' are updated on April 1 and September 1. It is the responsibility of the offeror to obtain the new labor wage and hour rates when available from the State of Alaska Department of Labor, and to use the Prevailing wage scale and hiring requirements when formulating your offer.

For copies of this pamphlet, contact the nearest office of the Division of Labor Standards and Safety, Wage and Hour office or visit the internet site at:

http://labor.state.ak.us/lss/pamp600.htm

II. INSURANCE REQUIREMENTS

During the term of this contract the Contractor shall maintain a policy of workers' compensation, employer's general liability and commercial automobile liability insurance.

Commercial General Liability Insurance. Covering all business premises and operations used by the Contractor in the performance of work under the contract with minimum coverage limits of \$1,000,000 combined single limit bodily injury and property damage per occurrence bodily injury and property damage.

Commercial Automobile Liability Insurance. Covering all vehicles used by the Contractor in the performance of work under this contract, including owned, non-owned and hired vehicles, with coverage limits of \$1,000,000 combined single limit per occurrence, and including uninsured/underinsured motorist coverage with limits of \$500,000 because of bodily injury to or death of one person in one accident, and, subject to the same limit for one person, \$1,000,000 because of bodily injury to or death of two or more persons in one accident.

Worker's Compensation Insurance. Contractor shall provide and maintain for all employees engaged in work under this contract coverage as required by AS 23.30.045; and, where applicable, any other statutory obligations. Contractor shall comply with all applicable provisions of the Alaska Workers' Compensation Act, AS 23.20.010 et. Seq., while performing work for the District and for the entire term of this contract and any renewal of this contract. Certificates of Insurance.

Certificates of Insurance shall be in the name of the ANCHORAGE SCHOOL DISTRICT.

Waiver of Subrogation. Waivers of subrogation shall be required on the General Liability, Workers Compensation and Auto Liability.

Additional Insured Status. The policies of the insurance required under this Section, with the exception of workers' compensation insurance policies, shall name the District as an additional insured. Additional Requirements.

The Contractor shall notify the District immediately of any material changes in its insurance policies, such as changes in limits, coverages, and change in status of any policy. The Contractor shall furnish the District with a copy of each notice of renewal of the insurance policies required so long as this contract is in effect.

END OF SECTION I

SECTION II SCOPE OF WORK AND GENERAL CONDITIONS

A. SCOPE OF WORK

- 1. BASE BID:
- a. Contractor is required to furnish all labor, materials, tools, supervision, and equipment to install one new projector, projector screen and associated electrical to support the new projector system in the Service High School Gymnasium. Projector screen will be owner furnished and specified type Da-Lite Professional Electrol 160" x 284"; is motorized requiring electric and control switch installation. Sound integration to existing sound system and controls and required electrical for operations and usage to be installed as designed. Specific screen and projector locations to be field verified. Projector will be owner furnished type Optoma ZU1700. Protective housing for projector and projector mount to be contractor furnished, contractor installed. Projector screen installation will require a deferred submittal for mounting equipment. Mounting hardware to be provided by contractor as approved in deferred submittals. Existing sound system box to be relocated.
- b. Contractor is responsible for all associated work involved in the complete installation of the projector, projector screen, projector system and associated electrical including surrounding finishes and materials. Projector screen installation will require a deferred submittal for mounting equipment. Protection of the gymnasium wood floor during installation process will be required. Work must be complete and all closeout documentation submitted by June 15, 2024 with no option to extend closeout.
- c. ALTERNATIVE NO. 1: Provide all labor, materials, tools, supervision and equipment to install a second owner furnished screen and owner furnished projector similar to 1st screen and projector in paragraphs 1.a and 1.b.
- 2. CONSTRUCTION SPECIFICATIONS & DRAWINGS

a. See Attachment C Service High School Gym Projector Drawings b. See Attachment D Owner Furnished Equipment Product Info

B. COMPLETION REQUIREMENTS

- a. Substantial Completion June 1, 2024
- b. Final Completion June 15, 2024

C. ADDITIONAL REQUIREMENTS

- 1. Contractor will submit and pay for plan review, inspections and all building permits required by the Municipality of Anchorage. Provide information such as permitting, building requirements, MOA MASS etc.
- 2. Lump Sum Quote shall include furnishing all permits, fees, labor, demolition and removal of debris, and associated materials, equipment, installation, supervision, insurance coverage and any other costs required to complete the work as outlined in this RFQ.
- 3. Contractor is responsible for inspecting, verifying measurements and becoming familiar with site conditions prior to performing work. See site visit schedule on the cover page of this solicitation.
- 4. All work to be completed in accordance with all applicable building codes.
- 5. All associated work as outlined in these solicitation documents.

D. OWNER'S USE OF SITE

1. Contractor shall coordinate all work with the Owner's Representative to minimize conflicts and to facilitate Owner's use of facilities.

- 2. Provide clear and easy access to and egress from spaces at all times, unless specifically arranged through the Project Manager.
- 3. Arrange with the Owner's Representative a satisfactory path of travel from parking areas to occupied areas of the building that will serve the Owner's needs.

E. SURVEYING EXISTING CONDITIONS

Prior to commencement of Work, Contractor and Owner's Representative or designee shall survey conditions, noting and recording any existing damage.

F. CONCEALED CONDITIONS UNACCEPTABLE TO CONTRACTOR, IF ANY

- 1. Should Contractor discover in the course of work defined in this Contract, conditions that are inconsistent with the Contract Documents or work of a substandard nature that will affect the satisfactory completion of the Work, the Project Manager shall be notified immediately.
- 2. Upon notification from Contractor, and if Project Manager concurs, the Contract Administrator may issue a Change Order authorizing Contractor to perform the work necessary for compliance, and will adjust the Contract Sum accordingly.

G. USE OF OWNER'S PROPERTY AND EQUIPMENT

Use of Owner's property or equipment such as tools, ladders, dumpsters, furniture, janitorial equipment and supplies, etc., is strictly prohibited.

END OF SECTION II

ATTACHMENT A QUOTE FORM AND SIGNAUTURE PAGE

Item	Description	<u>Unit Price</u>	Extended Price
1.	BASE BID	Lump Sum	\$
2.	ALTERNATIVE NO. 1	Lump Sum	\$

We the undersigned, in accordance with: Section I. Instructions to Offeror's, Section II. Scope of Work and General Condition, Attachment A - Quote Form and Signature Page, Attachment B - Offeror's Checklist, Attachment C - Service High School Gym Projector Drawings Attachment D - Owner Furnished Equipment Product Info and Exhibit 1 - State of Alaska Sex Offender/Child Kidnapper Registry Certifications hereby submit our offer.

	is/are hereby acknowledged.
Mailing Address:	
City/State/Zip:	
City/State/Zip:	
Telephone Number:	Fax Number:
Email Address	
Federal Tax Id Number:	
Alaska Business License Number:	Expiration Date:
AK General or Specialty Contracting License Number:	Expiration Date:
Offeror Signature:	Date:
Printed Name:	Printed Title:

ATTACHMENT B OFFEROR'S CHECKLIST

INSTRUCTIONS

A. GENERAL

Offerors are advised that , notwithstanding any instructions or implications elsewhere in this RFQ, <u>only</u> the documents shown and detailed on this Checklist need to be submitted with and made part of their offer. Other documents may be required to be submitted after offer opening, but prior to award. Offerors are hereby advised that failure to submit the documents shown and detailed on this Checklist may be justification for rendering the offer non-responsive.

B. REQUIRED DOCUMENT'S FOR OFFER SUBMISSION

- 1. Attachment A, Quote Form and Signature Page must be manually signed.
- 2. Erasures and/or other corrections made to the Quote Form and Signature Page must be initialed by the person signing the offer.
- 3. All addenda issued shall be acknowledged by manually signing each addendum and submitting prior to the offer opening, or by indicating acknowledgement in the space provided on the Quote Form and Signature Page Attachment A.

C. REQUIRED DOCUMENTS FROM APPARENT LOW OFFEROR TO BE SUBMITTED WITHIN THREE (3) CALENDAR DAYS FROM NOTIFICATION BY THE PURCHASING DEPARTMENT

- 1. State of Alaska Sex Offender/Child Kidnapper Registry Certifications per Section I Instruction to Offerors, Paragraph GG and Exhibit 1.
- 2. Any other information deemed necessary by the Purchasing Director or their designee.

optomaeurope.com



ZU1700

Ultra bright professional WUXGA laser projector



- High brightness WUXGA DLP laser projector 17,000 lumens
- Extreme installation flexibility Eight interchangeable lenses
- Ultimate reliability Built-in redundancy mode

• Striking lifelike images - Pure engine video processing and colour matching

The high brightness ZU1700 professional laser projector fills a need for high-end installations, including the entertainment, exhibition, and digital signage markets. Part of Optoma's Ultra Bright Series, this projector offers incredibly high brightness of 17,000 lumens as well as extreme flexibility with eight interchangeable lenses to meet the needs of even the most complex installations.

As part of the Optoma DuraCore laser line up, the Ultra Bright Series high-performance projectors feature 4K HDR compatibility, pure engine video processing and colour matching to produce visually striking, lifelike images with exceptional detail and high colour accuracy.

Strong reliability is at the core of the Ultra Bright Series projectors, with 24/7 operation capabilities, up to 30,000 hours of laser lifetime, and an IP5X rating for optimal and dependable performance, even under more extreme conditions up to 122 degrees Fahrenheit / 50 degrees Celsius. With a robust metal chassis and modular design for easier maintenance, a multitude of connectivity options, and failsafe redundancy mode for instant source switching, the Ultra Bright Series projectors offer a solution for intricate installations, including multi-projector and dome projection applications.

Specifications

opeemeations	
EAN: 5055387665743, Colour: E	Black
Display/image	
Display technology	DLP
Resolution	WUXGA (1920x1200)
Brightness	17,000 lumens
ANSI brightness	14,500
Contrast ratio	2,000,000:1
Native aspect ratio	16:10
Aspect ratio - compatible	16:9,16:10
Screen size	Dependent on lens
Lamp info	
Light source type	DuraCore Laser
LASER life	30,000 hours
Optical	
Throw ratio	Dependent on lens
Projection distance (m)	Dependent on lens
Lens options	BX-CTA11, 0.65~0.75:1
	BX-CTA18, 0.84~1.02:1 BX-CTA19, 1.02~1.36:1
	BX-CTA19, 1.02~1.30:1 BX-CTA20, 1.2~1.5:1
	BX-CTA21, 1.5~2.0:1
	BX-CTA22, 2.0~4.0:1
	BX-CTA23, 4.0~7.2:1
	BX-CTA27, 7.2~10.8:1
Lens shift	Yes - {{downloads_link}}
Connectivity	
Connections	Inputs 1 x RS232, 1 x 3D sync, 1 x Wired remote, 1 x
	HDBaseT, 1 x DisplayPort, 2 x HDMI, 1 x VGA, 1 x DVI-D, 1 x 3G-SDI
	Outputs 1 x RS232, 1 x 3D sync, 1 x Wired remote, 1 x HDMI, 1 x 3G-SDI
	Control 1 x RJ45, 1 x USB-A service, 1 x 12V trigger
LAN - wireless networking	No
General Noise level (typical)	36dB
Noise level (typical)	38dB
3D	Full 3D
	IP5X
P rating	
OSD / display languages	11 languages: Dutch, English, French, German, Hungarian, Italian, Japanese, Norwegian, Polish, Portuguese, Spanish
24/7 operation	Yes
360° operation	Yes
Operating conditions	Operating: 10~85%RH, non-condensing. Storage: 5~90%RH,
epotenting contentionito	non-condensing
Remote control	Backlit ProAV remote
Networking	
LAN - display	Yes
LAN - wireless networking	No
LAN	Yes
Power	
Power supply	AC 100–240 V @ 50/60 Hz
Power consumption (standby)	0.5W
Power consumption (min)	460W
Power consumption (max)	1,000W
Weight and dimensions	179 - F
Dimensions (W x D x H) mm	650 × 682 × 300.86
Gross weight	62.5 kg
Net weight	50 kg





Copyright © 2023, Optoma and its logo is a registered trademark of Optoma Corporation. Optoma Europe Ltd is the licensee of the registered trademark. All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice. All images are for representation purposes only and may be simulated. 19102023014807

Professional Electrol®

Automatic Electric Projection Screen Model

SUGGESTED SPECIFICATIONS: ______projection screen(s), ______(H) x _____(W), electrically operated 120 volt A.C. (60 Hz). Screen will have not more than 2.4 amp. motor. Shall have specially designed motor mounted inside the roller, to be three wire with ground, quick reversal type, oiled for life, with automatic thermal overload cutout, integral gears, capacitor and an electric brake to prevent coasting. To have preset but adjustable limit switches to automatically stop screen fabric in the "up" and "down" positions. Rigid metal roller, to be at least 3" in diameter (on screens 12' wide), 5¾" in diameter (on screens 14' to 18' wide) or 7" in diameter (on screens where either height or width equal or exceed 20'). Roller to be mounted in one heavy duty bracket equipped with self-aligning bearing. Motor to be secured to the case with a steel motor mount bracket. Screen surface to be flame retardant and mildew resistant fiberglass with black masking borders standard. Case to be of wood, with double top for extra rigidity and strength. Case to be finished with a black primer coat, ready to accept final finish by others, heavy metal brackets shall be supplied for mounting screen to ceiling or wall. To be complete with 3 position control switch with cover plate. Screen to be listed by Underwriter's Laboratories.



		HDIV (16:9) Formal	Dimensions	(2 Standard	a Black Drop	at iop)		
Viewing A	rea (H x W)	Nominal	Diagonal	Overall Len	igth of Case	Approx.	Hang. Wt.	Approx. Ship. Wt.	
In.	Cm	In.	Cm	In.	Cm	Lbs.	Kg	Lbs.	Kg
78" x 139"	198 x 353	159"	404	154"	391	207	93.9	483	219.1
92" x 164"	234 x 417	188"	478	178"	452	250	113.4	506	229.5
106" x 188"	269 x 478	216"	549	202"	513	296	134.2	615	279.0
119" x 212"	302 x 538	243"	617	226"	574	315	142.9	743	337.0
133" x 236"	338 x 599	271"	688	250"	635	413	187.3	830	376.5
146" x 260"	371 x 660	298"	757	274"	696	454	205.9	951	431.4
160" x 284"	406 x 721	326"	828	298"	757	495	224.5	1000	453.6

HDTV (16:9) Format Dimensions (2" Standard Black Drop at Top)

Wide (16:10) Format Dimensions (2" Standard Black Drop at Top) Nominal Diagonal Overall Length of Case Approx. Hang. Wt.

Viewing Area (H x W)		Nominal Diagonal		Overall Length of Case		Approx.	Hang. Wt.	Approx.	Ship. Wt.
In.	Cm	In.	Cm	In.	Cm	Lbs.	Kg	Lbs.	Kg
110" x 176"	279 x 447	208"	528	190"	483	270	122.5	512	232.2
117½" x 188"	298 x 478	222"	594	202"	513	286	129.7	605	274.4
132½" x 212"	337 x 538	250"	635	226"	574	320	145.1	748	339.3
147½" x 236"	375 x 599	278"	706	250"	635	419	190.1	836	379.2
177½" x 284"	451 x 721	335"	851	298"	757	502	227.7	1007	456.8

Video (NTSC 4:3) Format Dimensions (2" Standard Black Drop at Top)

rea (H x W)	Nominal	Diagonal	Overall Ler	igth of Case	Approx. Hang. Wt. Approx. SI		Ship. Wt.	
Cm	In.	Cm	In.	Cm	Lbs.	Kg	Lbs.	Kg
305 x 406	200"	508	174	442	252	114.3	540	244.9
312 x 417	210"	533	178"	452	258	117.O	500	226.8
358 x 478	240"	610	202"	513	292	132.4	628	284.9
404 x 538	265"	673	226"	574	329	149.2	731	331.6
450 x 599	295"	749	250"	635	429	194.6	850	385.6
495 x 660	325"	826	274"	696	474	215.0	927	420.5
541 x 721	355"	902	298"	757	518	234.9	1019	462.2
	Cm 305 x 406 312 x 417 358 x 478 404 x 538 450 x 599 495 x 660	Cm In. 305 x 406 200° 312 x 417 210° 358 x 478 240° 404 x 538 265° 450 x 599 295° 495 x 660 325°	Cm In. Cm 305 x 406 200° 508 312 x 417 210° 533 358 x 478 240° 610 404 x 538 265° 673 450 x 599 295° 749 495 x 660 325° 826	Cm In. Cm In. 305 x 406 200" 508 174 312 x 417 210" 533 178" 358 x 478 240" 610 202" 404 x 538 265" 673 226" 450 x 599 295" 749 250" 495 x 660 325" 826 274"	Cm In. Cm In. Cm 305 x 406 200" 508 174 442 312 x 417 210" 533 178" 452 358 x 478 240" 610 202" 513 404 x 538 265" 673 226" 574 450 x 599 295" 749 250" 635 495 x 660 325" 826 274" 696	Cm In. Cm In. Cm Lbs. 305 x 406 200" 508 174 442 252 312 x 417 210" 533 178" 452 258 358 x 478 240" 610 202" 513 292 404 x 538 265" 673 226" 574 329 450 x 599 295" 749 250" 635 429 495 x 660 325" 826 274" 696 474	CmIn.CmI.b.Kg305 x 406200°508174442252114.3312 x 417210°533178°452258117.0358 x 478240°610202°513292132.4404 x 538265°673226°574329149.2450 x 599295°749250°635429194.6495 x 660325°826274°696474215.0	Cm In. Cm In. Cm Lbs. Kg Lbs. 305 x 406 200° 508 174 442 252 114.3 540 312 x 417 210° 533 178° 452 258 117.0 500 358 x 478 240° 610 202° 513 292 132.4 628 404 x 538 265° 673 226° 574 329 149.2 731 450 x 599 295° 749 250° 635 429 194.6 850 495 x 660 325° 826 274° 696 474 215.0 927

Square Format Dimensions Size (H x W) **Overall Length of Case** Approx. Hang. Wt. Approx. Ship. Wt. Cm Cm Lbs. Kg In. In. Kg Lbs. 12' x 12' 366 x 366 154" 391 222 100.7 472 214.1 14' x 14' 427 x 427 452 122.4 568 178" 270 257.6 16' x 16' 488 x 488 202" 513 307 139.2 650 294.8 18' x 18' 549 x 549 226" 574 347 157.4 745 337.9 20' x 20' 610 x 610 250" 635 452 205.0 915 415.0 22' x 22' 671 x 671 274" 696 501 227.2 943 427.7



SPECIFICATION DATA

PRODUCT NOTES:

- Matte White: Horizontal seam required when both dimensions exceed 16'.
- Detailed dimensional drawings, wiring diagrams and installation instructions available upon request.
- DO NOT SEAL IN ALLOW ACCESS Recessed installation requires access to screen roller.
- FOR EXPOSED INSTALLATION If the screen is to be mounted in an exposed position, it may be covered with finished plywood, veneer, paneling, plastic wall covering or a valance.
- Overall case length dimensions +/- ¼" (6mm).
- · Specifications subject to change without notice.
- · Custom formats and sizes available upon request.


WHEN ORDERING, MARK APPROPRIATE SELECTIONS

- 1. Select size from charts above.
- 2. Select viewing surface (All Da-Lite surfaces are GREENGUARD GOLD Certified.):
- Matte White
- 3. Optional accessories:
- Extra Drop available to lower picture area more than normal. Specify total drop at top ____ (black or white) or at bottom ____ (black or white). 22' maximum total surface height including picture area, except for 24' wide, where maximum drop is 18'.
- Single Motor Low Voltage Control (LVC) external
 - RS-232 Interface
 Ethernet Adapter
- □ Wireless Remote Control
- - Radio Frequency Remote
 Radio Frequency Range Extender
 - □ Infrared Remote

- Key Locking Cover Plate for 120V or LVC Switch
- □ Key Operated Switch for 120V only (NOTE: Cannot be used with LVC)
- No Borders (Black masking borders standard)
- 220 Volt (50 Hz) Motor
- □ Video Projector Interface Control external
- □ White box (black standard)


Screens Up to 18' Wide (Where Height is Less Than 20') Length = Fabric Width +10", All Sizes 1/13/2 11 143%' Motor End Electrica Outlet Box Screens Where Height or Width Equals or Exceeds 20' Length = Fabric Width +10", All Sizes 155⁄2 12 3/, 15% Motor End Electrical Outlet Box

SUGGESTED METHODS OF INSTALLATION




Ceiling Mount Without Hangers

Screen case is placed flush with the wall and ceiling and held in position by moulding securely attached to the wall.



Recessed Above Ceiling

Other methods of installation will suggest themselves in new buildings where it would be an easy matter to provide a recess for the screen to conceal it when not in use. <u>Do not seal in – allow access</u>.



Wall Or Ceiling Mount With Hangers

Wall type hangers and ceiling type hangers are standard equipment. One set is supplied with each screen. Useful for recessed installations.

Project Name:	
Architect:	
Contractor:	Phone:
Reseller:	Phone:

PRODUCT VIEWS



FOR YOUR IMAGE | legrandav.com

USA P 866.977.3901 E av.da-lite.support@legrand.com **CANADA P** 877.345.4329 E av.da-lite.support@legrand.com P +31 495 580 840 E av.emea.sales@legrand.com EMEA P +852 2145 4099 E av.asia.sales@legrand.com APAC

© 2020 Legrand AV Inc. 200087 (Rev. 0) 3/20 Da-Lite is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.

ATTACHMENT D: OWNER FURNISHED EQUIPMENT PRODUCT INFORMATION PROJECT NO. 840033

La legrand[®] AV

COMMERCIAL BRANDS Chief | Da-Lite | Middle Atlantic | Projecta | Vaddio



EMAIL US: SALES@LOCDOWN.COM







I-BEAM CEILING CLAMP ADAPTER FOR 1.5- (>) INCH NPT PROJECTOR / CEILING MOUNT \$99.99

Mounting your Ceiling Extension Column, Projector or TV Ceiling Mount, or Projector Cage to an I-Beam has never been easier than with the BMS I-Beam Ceiling Clamp Adapter. It works with all Extension Columns, Mounts, Cages, and other devices **with a standard 1.5" NPT threaded interface**.

The I-Beam Ceiling Clamp Adapter's simple design is easy to install and use. It attaches to a single I-Beam, even if the ends of the beam are blocked. Clamps to I-Beams ranging from $4^{\prime\prime}$ to $8^{\prime\prime}$ Wide.

The strong, heavy gauge cold-rolled steel design **holds up to 750 lbs**. – Perfect for many applications.

In addition to its easy use and strong design, the I-Beam Ceiling Clamp Adapter has a 1" access hole in top. It's perfect for threading cords from the ceiling, down to your mounted electronic devices (e.g., Projectors or TVs).


Making a volume purchase? Please call us for quantity discounts and a shipping quote.

Standard Color is White. Black is available upon request – Minimum order quantity is 10 pieces.

FOR SHIPMENTS OUTSIDE THE CONTIGUOUS ("Lower 48") UNITED STATES: PLEASE CALL US AT 1-800-872-9562 FOR A SHIPPING QUOTE. Shipments to Alaska, Hawaii and International shipments require special shipping services.

SKU: BEAM MNT

CATEGORIES: PROJECTOR ACCESSORIES, TV MOUNTS



DESCRIPTION

The I-Beam Ceiling Clamp Adapter is ideal for attaching Extension Columns, TV Mounts, Projector Mounts, and Projector Cages to I-Beams.

Installation is easy: The simple, elegant design attaches directly to a single I-Beam ranging from 4-inches to 8-inche wide. The Adapter may be clamped anywhere along the available length of the I-Beam. Since it clamps around the I-Beam, access to the end of the I-Beam is NOT required.

See installation video!

Repositioning the I-Beam Clamp Adapter is also a breeze: Simply, loosen the nuts; move the Adapter along the I-Beam until the desired position is achieved; and tighten the nuts.

The I-Beam Ceiling Clamp Adapter includes a standard, 1.5-inch NPT threaded fitting that is compatible with all Ceiling Columns, TV Ceiling Mounts, Projector Mounts, and Projector Cages that have a standard, 1.5-inch NPT threaded interface – Just screw the Column, Mount, or Cage into the I-Beam Adapter's 1.5-inch NPT threaded fitting.

The Adapter also has a 1-inch hole in the top for running cables from the ceiling to electronic devices.

ATTACHMENT D: OWNER FURNISHED EQUIPMENT PRODUCT INFORMATION PROJECT NO. 840033

Privacy - Terms

The I-Beam Ceiling Clamp Adapter is made from strong, heavy gauge steel and holds up to 750 lbs.


NOTES: A 1.5" NPT threaded "Pipe Nipple / Close" (sold separately) may be required for certain installations. For added security, use thread locker adhesive.

I-Beam Ceiling Clamp Adapter Features:

- Includes a 1.5-inch NPT threaded fitting for attaching Columns, Mounts, and Cages with a 1.5-inch NPT threaded interface. (A 1.5-inch NPT threaded Pipe Nipple / Close may be required for certain installations. Pipe Nippe is sold separately.)
- Has a 1-inch hole for running cables from the ceiling down to your electronics.
- Changing the Adapter's location is easy: Loosen the nuts; slide the Adapter to the desired location.
- Attaches anywhere along the available length of a single I-Beam.
- Attaches to I-Beams even without access to the end of the beam.
- Clamps to varied I-Beam widths: From 4" to 8" wide.
- This product was tested and held up to 750 LBS.
- Cold rolled steel construction.
- Made in USA.
- Standard Color: White powder coat. (Black is available upon request A 10-unit minimum order is required.)

FOR SHIPMENTS OUTSIDE THE CONTIGUOUS ("Lower 48") UNITED STATES: PLEASE CALL US AT 1-800-872-9562 FOR A SHIPPING QUOTE. Shipments to Alaska, Hawaii and International shipments require special shipping services.

RELATED PRODUCTS



CONTACT INFO

ADDRESS: 520 W Central Ave, Brea, CA 92821, USA

PHONE: (800) 872-9562 or (714) 990-3218 EMAIL:

sales@locdown.com

WORKING DAYS/HOURS: 7AM – 5PM Pacific Standard Time. Closed on Weekends.



LINKS

Home About Us Contact U $\odot \bigcirc$

Ρ	RO	DU	СТ	CA.	TEG	OR	Y

Laptop Security			
Projector Security			
Medical Security			
TV Mounts			
Desktop Security			
Apple Security			
Tethers & Cables			
Accessories			
LEGAL			
Privacy Policy			
Return Policy			

©2023 Business Machine Security. All Rights Reserved.

Site Maintained by: MGWallace Design Studios

EMAIL US: SALES@LOCDOWN.COM



W




Heavy-Duty Projector Cage – Large: 11.0" (>) (H) x 28.5" (W) x 33.7" (D) \$899.99 – \$949.99

The BMS Heavy Duty Projector Protector (Cage) is the perfect way to secure your expensive projector from theft and prevent damage in vulnerable areas. Unlike our competitors, we include our LOC II locking projector mount welded inside our standard heavy duty projector cages. Plus, our projector cages come with with our adjuster dome for precision adjustment of pitch and roll. With a few, simple turns of a thumbscrew, the installation tech can easily align the projector with the screen. Watch a short **installation video**.

- Full steel enclosure.
- Locking and hinged front grill with replaceable panel.
- Precision adjustment for pitch and roll.
- Control yaw by twisting the entire cage right or left on the standard 1.5" threaded column.
- LCD LOC II Locking Universal Projector Security Mount comes included with the cage. (Our competitors sell their mounts separately.)
- Will accommodate center lens or off side lens. (By removing and replacing the Panel)
- Usually ships within 1 2 weeks. (Possibly sooner.)
- Standard color is white, please call if you want it in black.

SKU: PROJECTR PRO LG

CATEGORIES: PROJECTOR CAGES, PROJECTOR SECURITY



DESCRIPTION ADDITIONAL INFORMATION

Unlike our competitors, the BMS Heavy-Duty Projector Protector is a complete mounting solution. There's no need to purchase a separate projector mount, because we include one with each cage. Our LOC II Universal Projector Security Mount adds an extra level of security, and it's easy to install.

The BMS Heavy-Duty Projector Protector also comes with our game-changing Micro Adjustment Dome. As a result, screen alignment is quick and easy. Other brands require installers to balance a heavy projector cage with the correct alignment, while tightening a series of screws. Hopefully, the projector aligns with the screen.

However, the BMS Cage doesn't require any tools for alignment. Once installed, screen alignment is quick and easy. The installer simply adjusts the projector's Pitch and Roll by turning a few thumbscrews on the Micro Adjustment Dome.

Schools, offices and government agencies throughout the world safely and successfully use the BMS Heavy Duty Projector Protector every day. Therefore, you know BMS is the way to go for your projector cage needs.

BMS Projector Protectors are made in the USA out of heavy-duty steel. As a result, this cage is secure, strong, and will hold your projector safely in place.

The standard color is White powder coat. (Please contact us if you want Black.)

BMS Projector Cages usually ship within 1 - 2 weeks of order receipt. (Often, they ship even sooner.)

Heavy-Duty Projector Protectors Features:

Projector enclosed by a locking Steel cage.

ATTACHMENT D: OWNER FURNISHED EQUIPMENT PRODUCT INFORMATION PROJECT NO. 840033

Privacy - Terms

• Comes with an integrated LOC II Universal Projector Security Mount.

- Front access hinged panel and key-lock security.
- Three Sizes to choose from Medium (most-popular) & Large for the best fit.
- Front & rear precision adjustment by hand: Pitch and Roll up to 15 degrees.
- Yaw axis (Swivel): up to 360 degrees.
- Attaches to 1.5-inch Threaded Ceiling Pipe/Column or Flange
- Made in the USA.
- Easily hide power and other cables. They feed out the top of the enclosure into the mounting Column.
- Color: White (Call if you want Black)
- 1.5-inch threaded mounting column is sold separately.

BMS Heavy-Duty Projector Protector (Cage) Sizes:

- Large LOC II Large Universal Locking Projector Mount comes standard with the cage.
 Fits projectors up to: 11.0" (H) x 28.5" (W) x 33.7" (D)
 NOTE: The Medium fits an Epson Pro L 1000+ series projector with a standard lens, perfectly with room to spare in the back.
 Due to its weight and girth, an oversize fee applies on shipping.
- **Custom BMS makes custom for projectors larger than: 9.75" (H) x 32.75" (W) x 32.75" (D).
 Please Call with specific projector model and dimensions to receive a quotation.
 Please allow 2 week for delivery (possibly sooner) on all Custom Cages.

If you need standard 1.5-inch Threaded Ceiling Extension Columns (Mounting Pipes), we make those too. Please see our Fixed Extension Columns or our Adjustable Extension Columns.

Generally, we recommend attaching the Projector Protector to a Heavy-Duty Ceiling Flange.

YOU MAY ALSO LIKE ...



PROJECTOR CAGES, PROJECTOR SECURITY BMS Heavy-Duty Projector Protector \$699.99 – \$949.99

SELECT OPTIONS



PROJECTOR CAGES, PROJECTOR SECURITY Locking Projector Cage – Wall Mount 28.... \$949.99 – \$999.99

SELECT OPTIONS



PROJECTOR CAGES, PROJECTOR SECURITY Locking Projector Cage – Wall Mount – 2... \$749.99 – \$799.99

SELECT OPTIONS

RELATED PRODUCTS









PROJECTOR ACCESSORIES, PROJECTOR SECU... BMS Sloped (Cathedral) Ceilin...



PROJECTOR MOUNTS, PROJECTOR SECURITY BMS CTAWA-LOC II Short Throw...

\$499.98 - \$559.98


PROJECTOR ACCESSORIES, PROJECTOR SECU... BMS Ceiling Plate PROJECTOR ACCESSORIES, PROJECTOR SECU... BMS DCP 824 Adjustable Drop ...

 ROJECTOR SECU...
 PROJECTOR ACCESSORIES, PROJECTOR SECU..

 able Drop ...
 BMS Ceiling Flange

ATTACHMENT D: OWNER FURNISHED EQUIPMENT PRODUCT INFORMATION PROJECT NO. 840033

00



CONTACT INFO

ADDRESS: 520 W Central Ave, Brea, CA 92821, USA

PHONE: (800) 872-9562 or (714) 990-3218

EMAIL: sales@locdowr

WORKING DAYS/HOURS: 7AM – 5PM Pacific Standard Time Closed on Weekends.



LINKS

Home
About Us
Contact Us

PRODUCT CATEGORY

Laptop Security
Projector Security
Medical Security
TV Mounts
Desktop Security
Apple Security
Tethers & Cables
Accessories

LEGAL

Privacy Policy Return Policy

©2023 Business Machine Security. All Rights Reserve

Site Maintained by: MGWallace Design Studios

EMAIL US: SALES@LOCDOWN.COM







BMS DCP 824 Adjustable Drop Ceiling (>) Panel \$149.99


Mounting a projector in a classroom, boardroom or theater with a Suspended/Drop ceiling can be tricky if you don't have the right equipment.

However, BMS has a solution:

The DCP 824 Adjustable Drop Ceiling is a great option when you need to mount your projector to a Suspended/Drop Ceiling. Most Theater Rooms, Boardrooms, Classrooms, or Presentation Rooms have Suspended/Drop ceilings; so please consider our DCP 824 Adjustable Drop Ceiling Panel for your next Projector installation.

NOTE: The projector, projector mount and/or other media shown in the picture(s) are for reference-only. They are not included with the purchase of the DCP 824 Adjustable Drop Ceiling Panel.

CATEGORIES: PROJECTOR ACCESSORIES, PROJECTOR SECURITY



DESCRIPTION ADDITIONAL INFORMATION

The DCP 824 Adjustable Drop Ceiling is a steel panel that sits above a suspended or drop ceiling tile. The panel is hangs from wood ceiling joists or beams, using high-tensile strength wires and turnbuckle anchors (included with the hardware kit). The steel Panel measures just 8" x 24" for minimal interference with pipes, electrical or HVAC equipment that sit just above the suspended ceiling. The Panel comes two knockouts for AC. The DCP 824 panel comes standard with an Adjustable Carriage that allows for side-to-side or front-to-back alignment. A 12" mounting column, which is adjusted up and down and held in place using a set screw, is also included with the kit. The Column comes with a welded security stop that provides added drop protection.

The DCP 824 Drop Ceiling Panel is a great solution for mounting a projector when you are working with a suspended or drop ceiling. It has been successfully and safely used by schools, healthcare facilities and offices for years.

The BMS Adjustable Drop Ceiling Panel provides unsurpassed security, versatility, and ease of installation for your home, school, or business at an affordable price.


Adjustable Drop Ceiling Panel Product Features:

- 8" x 24" steel panel.
- Panel comes two knockouts for electrical boxes.
- Designed to fit above suspended/drop ceiling panels.
- 12" adjustable 1.5-inch threaded pipe/column included.
- Panel has Adjustable Carriage.
- Suspension Hardware included. Can be anchored to wood joists or beams.
- Can be suspended from concrete. Installer will need to supply concrete anchors.
- Chrome-painted Escutcheon Ring comes included for clean, finished look.
- Color: White.
- Made in the USA.
- Steel Construction.
- For use with Suspended/Drop Ceilings.
- Projector Mount not included.

Related/Recommended Products:

- If you need a locking security mount for your projector, check out our LCD LOC II Line of Universal Projector Security Mounts.
- If key-lock security is not a requirement, please see our BMS ECO Economy Mount.
- We also offer the DCP 824 and BSM ECO Mount together in a combination package: BMS Total Mounting Solution Kit.
- If you need a drop ceiling panel that fits within the suspended or drop ceiling grid, please see our DCP 150 2-foot by 2-foot Ceiling Tile Replacement Kit.

RELATED PRODUCTS





ADAPTER PLATES, PROJECTOR SECURITY, VIE... VS ADJ UST BQ-VS Adp KIT (for ...

\$249.99

ADD TO CART

PROJECTOR ACCESSORIES, PROJECTOR SECU...

BMS Sloped (Cathedral) Ceilin... \$69.99

SELECT OPTIONS



PROJECTOR MOUNTS, PROJECTOR SECURITY LOC VI (Six): Locking Projector ... \$299.99

ADD TO CART



PROJECTOR MOUNTS, PROJECTOR SECURITY BMS CTAWA-LOC II Short Throw ...

\$499.98 - \$559.98

SELECT OPTIONS



00

OUT OF STOCK



PROJECTOR MOUNTS, PROJECTOR SECURITY Epson LightScene 6-Foot Stand...

→ READ MORE

CONTACT INFO

ADDRESS:

PHONE:

EMAIL:

WORKING DAYS/HOURS:



LINKS

PRODUCT CATEGORY

LEGAL

Privacy Policy

©2023 Business Machine Security. All Rights Reserved.

Site Maintained by: MGWallace Design Studios

EMAIL US: SALES@LOCDOWN.COM

BUSINESS MACHINE SECURITY	م A 🗘 🛒
	BMS Extension Column / Pipe – Fixed
	BMS Extension Pipe, Fixed, 1 1½" Threaded • 3" Column • 6" Column • 12" Column • 18" Column Need a Column that is over 18"? Please contact us at 1-800-872-9562 to place your order. Add \$2.00 per inch to the 18" Column price. SKU: EXT CLM 18 PIPE (WHITE) CATEGORIES: PROJECTOR ACCESSORIES, PROJECTOR SECURITY SIZE: EXTCLM 3 EXTCLM 6 EXTCLM 12 EXTCLM 18 COLOR: White Black cLEAR \$33.99 - 1 + CADD TO CART
DESCRIPTION ADDITIONAL INFORMATION	

- 3-inch Column
- 6-inch Column
- 12-inch Column
- 18-inch Column
- Over 18-inches, contact us at 1-800-872-9562. (Add \$1.50 per inch)

Comes painted in White or Black

RELATED PRODUCTS



		C C C C C C C C C C C C C C C C C C C		Contraction of the second
--	--	---------------------------------------	--	---------------------------



 \odot

f 🎽 🖸

PROJECTOR ACCESSORIES, PROJECTOR SECU...

PROJECTOR ACCESSORIES, PROJECTOR SECU... PROJECTOR ACCESSORIES, PROJECTOR SECU... PROJECTOR ACCESSORIES, PROJECTOR SECU...

ATTACHMENT D: OWNER FURNISHED EQUIPMENT PRODUCT INFORMATION PROJECT NO. 840033

Page 15 of 16

PROJECTOR CAGES, PROJECTOR SEC BIN PROJECTOR CAGES, PROJECTOR SEC BIN PROJECTOR SECO

RFQ 2024-714 CONSTRUCTION – SERVICE HIGH SCHOOL GYM PROJECTOR ADDITION BMS Sloped (Cathedral) Ceilin... Offset Plate Set LCD Flex Foot Kit BMS DCP150 BMS Heavy-Duty Projector Prot... \$69.99 \$19.99 \$19.99 \$199.99 \$699.99 - \$949.99 SELECT OPTIONS ADD TO CART SELECT OPTIONS ADD TO CART SELECT OPTIONS

CONTACT INFO

ADDRESS:

520 W Central Ave, Brea, CA 92821, USA

ANCHORAGE SCHOOL DISTRICT

PHONE: (800) 872-9562 or (714) 990-3218 EMAIL:

sales@locdown.co

WORKING DAYS/HOURS: 7AM – 5PM Pacific Standard Time. Closed on Weekends.



LINKS

Home
About Us
Contact Us

PRODUCT CATEGORY

Laptop Security
Projector Security
Medical Security
TV Mounts
Desktop Security
Apple Security
Tethers & Cables
Accessories

LEGAL

Privacy Policy Return Policy

©2023 Business Machine Security. All Rights Reserved.

Site Maintained by: MGWallace Design Studios

<u>STATE OF ALASKA SEX OFFENDER/CHILD KIDNAPPER REGISTRY</u> <u>CONSULTANT CERTIFICATION</u>

Pursuant to Anchorage School Board Policy 3515.5, Sex Offenders and Child Kidnappers, I __________the undersigned Principal for ________(firm) on Solicitation (name and number) _______, certify:

1. That I, either personally or through a person designated by me, have researched the State of Alaska Sex Offender/Child Kidnapper Registry to confirm that no employee or agent who may enter Anchorage School District property in connection with the contract is listed in the Registry.

2. That I have required all subconsultants and any of their sub-subconsultants to certify, or they will require all subconsultants and any of their sub-subconsultants to certify, that they researched the State of Alaska Sex Offender/Child Kidnapper Registry to confirm that no employee or agent who may enter district property in connection with the contract is listed in the Registry. I will provide all such certification to the district upon request.

3. To my knowledge, not any employee or agent of the proposer, or any sub-consultant or sub-sub-consultant of the proposers, who may enter district property in connection with the contract is: (a) listed in the sex offender/child kidnapper registry of any other state; or, (b) is a convicted sex offender or child kidnapper.

4. I have read Anchorage School Board Policy 3515.5 and certify that the proposer will comply with Board Policy 3515.5. Proposer will not send any employee or agent who is a sex offender or child kidnapper to District property, as that term is defined in Board Policy 3515.5

Consultant Name:_____

Title: _____

Dated:_____

By: _____

Signature

Printed Name

<u>STATE OF ALASKA SEX OFFENDER/CHILD KIDNAPPER REGISTRY</u> <u>SUBCONSULTANT CERTIFICATION</u>

Pursuant	to	School	Board	Policy	3515.5,	Sex	Offenders and Child I		Kidnappe	ers, I
							theu	ndersigned	Principal	for
					(firm)	on	solicitation	(name	and nut	mber)
								-	, ce	rtify:

1. That I, either personally or through a person designated by me, have researched the State of Alaska Sex Offender/Child Kidnapper Registry to confirm that no employee or agent who may enter Anchorage School District property in connection with the contract is listed in the Registry.

2. That I have required all subconsultants and any of their sub-subconsultants to certify, or they will require all subconsultants and any of their sub-subconsultants to certify, that they researched the State of Alaska Sex Offender/Child Kidnapper Registry to confirm that no employee or agent who may enter District property in connection with the contract is listed in the Registry. I will provide all such certification to the District upon request.

By:

Signature

Printed Name

Title:

Dated:

<u>STATE OF ALASKA SEX OFFENDER/CHILD KIDNAPPER REGISTRY</u> <u>SUB-SUBCONSULTANT CERTIFICATION</u>

Pursuant	to	School	Board	Policy	3515.5,	Sex	Offenders	and Child	Kidna	Kidnappers, I	
							the u	indersigned	Princi	ipal for	
					(firm)	on	Solicitation	n (name	and	number)	
										, certify:	

1. That I, either personally or through a person designated by me, have researched the State of Alaska Sex Offender/Child Kidnapper Registry to confirm that no employee or agent who may enter Anchorage School District property in connection with the contract is listed in the Registry.

2. That if my firm enters into an agreement to perform work as a Subconsultant for the Prime Consultant for the District under Solicitation No. ______, my firm will not allow any worker whose name appears on the State of Alaska Sex Offender/Child Kidnapper Registry to perform work on or at the Project site.

By:

Signature

Printed Name

Title: _____

Dated: _____